# Stat 344 - Fall 2024

## Homework Assignment 4

Due: Thursday, November 21st on Learning Suite at 2:00 pm

## General Notes:

- Upload your solutions to Part I.
- Upload the Excel spreadsheet you create to answer the questions in Part II to Learning Suite. Your spreadsheet should be neatly organized and labeled; each answer should be highlighted in some manner, and it should be very clear how each of your answers was obtained.
- If you use R, submit the code you use, as well as your output. Your document should be neatly organized and labeled; it should be very clear how each of your answers was obtained.

## Part I

1. You are given the following life table excerpt (Table 3.1 from Dickson et al.). Assume i = 8%.

x	$\ell_x$	$d_x$
30	10,000.00	34.78
31	9,965.22	38.10
32	9,927.12	41.76
33	9,885.35	45.81
34	9,839.55	50.26
:		

(a) Calculate the mean and variance of the present value of the benefit for a 2-year term life annuity due issued to (30). [1.9227, 0.00293]

- (b) Calculate  $\ddot{a}_{30:\overline{2}|}^{(2)}$  using the following assumptions. (Keep at least 4 decimal places and please show all work.)
  - (i) Woolhouse's approximation with two terms [1.885473]
  - (ii) Woolhouse's approximation with three terms using  $\mu_x \stackrel{CF}{=} -\frac{\log(p_{x-1}) + \log(p_x)}{2}$ and  $p_{29} = 0.997$ . [1.884767]
  - (iii) UDD [1.88472]
  - (iv) CFM [1.88473]
- 2. Jimbo is age 65 and is about to retire and has saved \$1,000,000 for his retirement. Assume that his mortality is given by the Standard Ultimate Mortality Model. He anticipates needing about \$50,000 in his first year of retirement to cover his expenses. His expenses would increase with inflation (e.g., 1% per year) in subsequent years. He is considering the following options:
  - (i) Invest the \$1,000,000 in a bank account earning 3% interest. He would make withdrawals from the bank account to pay his expenses.
  - (ii) Use the 1,000,000 to purchase a whole life annuity making level payments of X per year.
  - (iii) Invest the \$1,000,000 in AA or A 30-year corporate bonds paying annual 6% coupons.
  - (a) Assuming i = 5%, calculate X. [73801.88]
  - (b) List the advantages and disadvantages (or risks) associated with each option.
  - (c) Recommend with reasons a strategy that you believe would be superior to the options listed above.
- 3. Let Y denote the present value of the benefit for a whole life annuity paying continuously at a rate of \$10,000 per year, issued to (50).
  - (a) Write an expression for Y in terms of the future lifetime random variable  $T_{50}$ .

Now suppose you are given that:

$$\bar{A}_{50} = \frac{(1 - e^{-40\,\delta})}{32\,\delta}, \qquad \delta = 0.06$$

- (b) Find the expected value of Y. [87735.93]
- (c) Find the standard deviation of Y. [30728.19]

4. You are given:

$$\ddot{a}_{60} = 7.242, \quad A_{40:\overline{10}|} = 0.35, \quad i = 10\%, \quad {}_{10}p_{50} = 0.8$$

- (a) Describe in words what is meant by the symbol  $\ddot{a}_{\overline{40\cdot20}}$ .
- (b) Calculate  $\ddot{a}_{40:\overline{20}}$ . [10.14671]
- 5. Suppose that mortality for (x) is given by the DeMoivre model with limiting age  $\omega$  and the force of interest is  $\delta$ .
  - (a) Show that

$$\bar{a}_x = \frac{(\omega - x) - \bar{a}_{\overline{\omega - x}}}{\delta(\omega - x)}$$

Suppose that  $x = 40, \omega = 100$  and  $\delta = 0.1$ . Let Y be the PV of benefits RV for a continuous whole life annuity issued to (x).

- (b) Calculate  $\bar{a}_x$ . [8.337465]
- (c) Calculate  $P(Y > \bar{a}_x)$ . [0.7009597]
- 6. Whole life annuities-due are issued to 100 independent lives age 50. Each annuity pays 20 per year. Mortality is given by the Standard Ultimate Survival Model, and i = 5%. For convenience, the following values are provided (you could/should verify these values from the spreadsheet):

$$A_{50} = 0.189308$$
  ${}^{2}A_{50} = 0.051075$   $\ddot{a}_{50} = 17.0245$   $d = 0.0476$ 

- (a) Using a normal approximation, estimate the probability that the total PV of payments will exceed 35,000. [0.03336]
- (b) Now suppose that there is a correlation of 0.2 between each pair of lives. Explain in words (without calculation) how and why your answer to the above problem would change. It may help to draw a picture. (BONUS: Calculate this value using a normal approximation.) [0.3438]
- (c) Now suppose that the lives are perfectly correlated, i.e., all 100 lives will have identical future lifetimes.
  - (i) Calculate the probability that the total PV of payments will exceed 35,000.
    (Hint: You'll need additional values from the spreadsheet for this part.)
    [0.58489]
  - (ii) Repeat the previous part using a normal approximation. [0.4272584]

7. A 30-year deferred whole life annuity-due is issued to (35), paying an amount of 1 per year, with the extra feature that the net single premium is refunded (without any accumulated interest) at the end of the year of death if (35) dies during the deferral period. Calculate the net single premium for this product, given the following values: [1.490323]

$$\ddot{a}_{65} = 9.90$$
  $A_{35:\overline{30}|} = 0.21$   $A_{35:\overline{30}|}^1 = 0.07$ 

- 8. Consider a continuous whole life annuity (paying at a rate of \$1 per year) issued to a person age x. Letting Y denote the PV of this annuity benefit, we have shown that we can write the PV of this benefit as  $Y = \bar{a}_{\overline{T_x}}$  where  $T_x$  is the future lifetime random variable for (x). Consider the cumulative distribution function (CDF) for Y, i.e.,  $F_Y(y) = Pr(Y \leq y)$ .
  - (a) What are the bounds on the values of Y? Explain the limiting values of  $T_x$  they correspond to.
  - (b) Show that

$$F_Y(y) = F_x\left(\frac{-\ln(1-\delta y)}{\delta}\right) \quad \text{for} \quad b_1 < y < b_2$$

where  $F_x$  is the cumulative distribution function for  $T_x$  and  $b_1$  and  $b_2$  are the bounds from the previous part.

(c) Show that we can write  $P(u \leq Y \leq w)$  as  $_b|_c q_x$ , where b and c are values you should specify. (Just find the correct values of b and c; no further proof is required.)

## Part II

For this part, we will assume that mortality is given by the Standard Ultimate Mortality Model (typically, annuities aren't underwritten, so we're using ultimate mortality rather than select mortlity for this assignment) and the interest rate is a level 5% annual effective rate. As was the case for the first assignment y is the last two digits of your BYU ID number; if your BYU ID number is between 00 – 19, add 20.

### **Deterministic Analysis**

#### Subpart A: Level Payment Whole Life Annuity

Let  $Y_1$  denote the present value of a whole life annuity due, issued to (y), with level annual payments of \$60,000 per year.

- 1. Find  $E[Y_1]$ .
- 2. Find the standard deviation of  $Y_1$ .
- 3. Find  $Pr[Y_1 < \$500, 000]$ .
- 4. Create a graph showing the probability mass function of  $Y_1$ .

#### Subpart B: Level Payment Guaranteed Annuity

Let  $Y_2$  denote the present value of a life-and-10-year-certain annuity due, issued to (y), with level annual payments of \$60,000 per year.

- 1. Find  $E[Y_2]$ .
- 2. Find the standard deviation of  $Y_2$ .
- 3. Find  $Pr[Y_2 < \$500, 000]$ .
- 4. Create a graph showing the probability mass function of  $Y_2$ .

#### Subpart C: Geometrically Increasing Whole Life Annuity

Let  $Y_3$  denote the present value of a whole life annuity due, issued to (y), with a first payment of \$50,000, and each subsequent payment increasing by 2%.

- 1. Find  $E[Y_3]$ .
- 2. Find the standard deviation of  $Y_3$ .

- 3. Find  $Pr[Y_3 < \$500, 000]$ .
- 4. Create a graph showing the probability mass function of  $Y_3$ .

#### Subpart D: Geometrically Increasing Guaranteed Annuity

Let  $Y_4$  denote the present value of a life-and-10-year-certain annuity due, issued to (y), with a first payment of \$50,000, and each subsequent payment increasing by 2%.

- 1. Find  $E[Y_4]$ .
- 2. Find the standard deviation of  $Y_4$ .
- 3. Find  $Pr[Y_4 < \$500, 000]$ .
- 4. Create a graph showing the probability mass function of  $Y_4$ .

# Optional Bonus Section – worth up to 10% bonus

Note: This part is perhaps easier to complete in  $\mathbf{R}$  than Excel. You can use  $\mathbf{R}$  for this part, even if you used Excel for the deterministic analysis.

#### Stochastic Analysis

Now you will consider an analysis based on simulations. Specifically, you will simulate the future lifetime of the same y-year old 1,000 times and base your answers on the results of these simulations. Use the same mortality and interest assumptions as above. (Note: You can use 10,000 or 100,000 simulations if you prefer and if it doesn't cause a severe processing burden for your computer.)

#### Subpart A: Level Payment Whole Life Annuity

Redo Questions 1-4 in Part II — Subpart A based on your simulated values.

#### Subpart B: Level Payment Guaranteed Annuity

Redo Questions 1-4 in Part II — Subpart B based on your simulated values.